

Technical Information

NTX-Serum

N-Terminal Telopeptide of Type I Collagen

Cat. No.:	NTx9021
Tests:	96
Method:	ELISA
Range:	5 - 40 nM BCE
Sensitivity:	3.2 nM BCE
Incubation time:	2 hours
Sample volume:	50 µl (dilute 1:5)
Sample type:	Serum, cell culture
Sample preparation:	Specimen should be collected at the same time of the day. Store samples refrigerated at 2-8°C for up to 24 hours or frozen at -20 °C for longer storage. Stable up to 3 freeze and thaw cycles.

Reference values: nmol Bone Collagen Equivalents per litre = nM BCE

	Mean	Range ($\pm 2SD$)
Premenopausal women (25 - 49 yrs)	12.6	6.2 - 19.0
Postmenopausal women		12.9 - 22.7
Men (31 - 80 yrs)	14.8	5.4 - 24.2

Enfants: Les valeurs de référence sont disponibles.

Species: Human, bovine, sheep, porcine, rabbit, rat, rhesus macaque

Intended use:

NTX-Serumtest is used for the quantitative management of cross-linked N-telopeptides of type I collagen in human serum. The NTX molecule is bone specific due to the unique amino acid sequences of the cross-linked alpha-2 (I) N- telopeptide. Release of the NTX molecule is mediated by osteoclasts. Elevated levels of NTX indicate elevated bone resorption.

NTX levels are used for:

- monitoring of antiresorptive therapy in osteoporosis
- Paget's disease
- monitoring and early detection of bone metastasis.

For further information please contact / Für weitere Informationen wenden Sie sich bitte an /
Pour plus d'informations, veuillez contacter:

www.tecomedical.com

A EUROBIO SCIENTIFIC COMPANY

Switzerland / Headquarters

TECO*medical* AG

Gewerbestrasse 10

4450 Sissach

Phone +41 61 985 81 00

Fax +41 61 985 81 09

Mail info@tecomedical.com

Germany

TECO*medical* GmbH

Marie-Curiestr. 1

53359 Rheinbach

Hotline 0800 985 99 99

Phone +49 2226 87 24 55

Fax +49 2226 87 24 58

Mail info@tecomedical.com

Austria

TECO*medical* AG

Hotline 0800 20 40 66

Fax 0800 20 40 55

Mail info@tecomedical.com

